

WEBAC 1403 Comp. A Version 2.1

Revision date 19-Dec-2024

Print date 19-Dec-2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name/designation

WEBAC 1403 Comp. A PU Injection Resin

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Restricted to professional users.

#### Relevant identified uses

polyhydroxy alcohol component for polyurethane resin

### 1.3 Details of the supplier of the safety data sheet

#### supplier

WEBAC-Chemie GmbH Fahrenberg 22 Telephone: +49 40 670570 22885 Barsbüttel Telefax: +49 40 6703227 Germany

### Department responsible for information

E-mail (competent person)

### 1.4 Emergency telephone number

**Giftinformationszentrum-Nord** Emergency telephone number: +49 551 192 40 available 24h/365days; Information will be provided in German and English

msds@webac.de

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture


### Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Acute Tox. 4 oral; Acute toxicity; H302 Harmful if swallowed.

### 2.2 Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms



Wash hands thoroughly after handling.

Dispose of contents/container to industrial incineration plant.

### Hazard components for labelling

Propane-1,2-diol, propoxylated

#### Supplemental hazard information

not applicable

P264

P501

### 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients.**



WEBAC 1403 Comp. A Version 2.1

Revision date 19-Dec-2024

### 3.2 Mixtures

### Description

polyhydroxy alcohol component for polyurethane resin

#### **Hazardous ingredients**

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
25322-69-4	Propane-1,2-diol, propoxylated	50,0 <= 100,0
500-039-8	01-2119457556-29-xxxx	
-	Acute Tox. 4 H302	
	ATE (dermal): > 2,000 mg/kg	

#### Remark

Full text of H- and EUH-statements: see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

### **Following inhalation**

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### Self-protection of the first aider

First aider: Pay attention to self-protection!

### 4.2 Most important symptoms and effects, both acute and delayed

### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

#### Unsuitable extinguishing media

Strong water jet

#### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

### 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

### **SECTION 6: Accidental release measures**



WEBAC 1403 Comp. A		
Version 2.1	Revision date 19-Dec-2024	

Print date 19-Dec-2024

# 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

#### 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid breathing spray. Personal protection equipment: see section 8 Follow the legal protection and safety regulations.

### Advices on general occupational hygiene

When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Access only for authorised persons. Smoking is forbidden.

Always keep in containers that correspond to the material of the original container. Store carefully closed containers upright to prevent any leaks. Do not empty containers with pressure - no pressure vessel!

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Do not store together with: Food and feedingstuffs

Storage class

LGK10 - Combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C.

### 7.3 Specific end use(s)

Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occupational exposure limit values

No data available

**Biological limit values** 

No data available

DNEL worker

CAS No.	Substance name	DNEL type	DNEL value
25322-69-4	Propane-1,2-diol, propoxylated	DNEL long-term dermal (systemic)	13.9 mg/kg bw/day
25322-69-4	Propane-1,2-diol, propoxylated	DNEL long-term inhalative (systemic)	98 mg/m³
PNEC			
CAS No.	Substance name	PNEC type	PNEC Value



Print date 19-Dec-2024

WEBAC 1403 Comp. A Version 2.1

\*

Revision date 19-Dec-2024

#### 25322-69-4 Propane-1,2-diol, propoxylated PNEC aquatic, freshwater 0.2 mg/L 25322-69-4 Propane-1,2-diol, propoxylated PNEC aquatic, marine water 0.02 mg/L 25322-69-4 PNEC aquatic, intermittent release Propane-1,2-diol, propoxylated 1.06 mg/L 25322-69-4 Propane-1,2-diol, propoxylated PNEC sewage treatment plant (STP) 100 mg/L 25322-69-4 PNEC sediment, marine water Propane-1,2-diol, propoxylated 0.042 mg/kg 25322-69-4 Propane-1,2-diol, propoxylated PNEC sediment, freshwater 0.419 mg/kg 25322-69-4 PNEC soil, freshwater 0.031 mg/kg Propane-1,2-diol, propoxylated

### 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

### Personal protection equipment

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles: EN ISO 374

### Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye/face protection

Eye glasses with side protection: EN 166 Wear closely fitting protective glasses in case of splashes.

### **Body protection**

Wear suitable protective clothing. Change contaminated, saturated clothing.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	yellow
Odour	characteristic
рН	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	> 101 °C
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	0.289 mbar
Relative vapour density	not applicable
Density at 20 °C	1.0 kg/l
Water solubility at 20°C	not determined
Partition coefficient: n-octanol/water	see section 12
Ignition temperature in °C	not determined
Decomposition temperature	not determined



	BAC 1403 Comp. A ion 2.1	Revision date 19-Dec-2024	Print date 19-Dec-20
	Viscosity at 20 °C:	> 20.5 mm²/s	
	particle characteristics	not applicable	
.2	Other information		
	not applicable		
SE	CTION 10: Stability and	l reactivity	
0.1	Reactivity	-	
	-	en handled and stored according to provisions.	
0.2	Chemical stability		
	-	ed storage and handling conditions. e.	
0.3	Possibility of hazardous		
-		ids, strong bases and strong oxidizing agents to avoid exothermic reaction	S.
0.4	Conditions to avoid		
	Protect from moisture. Avo	id high temperatures or direct sunlight.	
10.5	Incompatible materials		
	No further relevant informa	ation available.	
0.6	Hazardous decompositio		
		byproducts may form with exposure to high temperatures e.g.: Carbon dio	xide (CO2), Carbon
		asses as defined in Regulation (EC) No 1272/2008	
	Acute toxicity		
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k	kg	
	Harmful if swallowed.	ylated	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy	ylated	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/H Propane-1,2-diol, propox LD50: dermal (Rabbit): > 2 Skin corrosion/irritation	ylated	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/H Propane-1,2-diol, propox LD50: dermal (Rabbit): > 2 Skin corrosion/irritation	ylated ,000 mg/kg ne classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/H Propane-1,2-diol, propoxed LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, the Serious eye damage/eye	ylated ,000 mg/kg ne classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/H Propane-1,2-diol, propoxed LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, the Serious eye damage/eye	ylated ,000 mg/kg ne classification criteria are not met. irritation ne classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi	ylated ,000 mg/kg ne classification criteria are not met. irritation ne classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi	ylated ,000 mg/kg ne classification criteria are not met. irritation ne classification criteria are not met. itisation ne classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C	ylated ,000 mg/kg ne classification criteria are not met. irritation ne classification criteria are not met. itisation ne classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C	ylated ,000 mg/kg ne classification criteria are not met. irritation ne classification criteria are not met. itisation ne classification criteria are not met. CMR properties	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye is Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C Based on available data, th STOT-single exposure	ylated ,000 mg/kg ne classification criteria are not met. irritation ne classification criteria are not met. itisation ne classification criteria are not met. CMR properties	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C Based on available data, th STOT-single exposure Based on available data, th	ylated 2,000 mg/kg the classification criteria are not met. irritation the classification criteria are not met. itisation the classification criteria are not met. EMR properties the classification criteria are not met. the classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C Based on available data, th STOT-single exposure Based on available data, th	ylated 2,000 mg/kg the classification criteria are not met. irritation the classification criteria are not met. itisation the classification criteria are not met. EMR properties the classification criteria are not met. the classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye is Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C Based on available data, th STOT-single exposure Based on available data, th STOT-repeated exposure Based on available data, th	ylated ,000 mg/kg he classification criteria are not met. irritation he classification criteria are not met. itisation he classification criteria are not met. SMR properties he classification criteria are not met. he classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C Based on available data, th STOT-single exposure Based on available data, th STOT-repeated exposure Based on available data, th Aspiration hazard	ylated ,000 mg/kg he classification criteria are not met. irritation he classification criteria are not met. itisation he classification criteria are not met. SMR properties he classification criteria are not met. he classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C Based on available data, th STOT-single exposure Based on available data, th STOT-repeated exposure Based on available data, th Aspiration hazard	ylated ,000 mg/kg the classification criteria are not met. irritation the classification criteria are not met. itisation the classification criteria are not met. EMR properties the classification criteria are not met. the classification criteria are not met. the classification criteria are not met. the classification criteria are not met.	
	Harmful if swallowed. ATEmix: (oral) 667.98 mg/k Propane-1,2-diol, propoxy LD50: dermal (Rabbit): > 2 Skin corrosion/irritation Based on available data, th Serious eye damage/eye Based on available data, th Respiratory or skin sensi Based on available data, th Overall assessment on C Based on available data, th STOT-single exposure Based on available data, th STOT-repeated exposure Based on available data, th Aspiration hazard Based on available data, th	ylated ,000 mg/kg the classification criteria are not met. irritation the classification criteria are not met. itisation the classification criteria are not met. EMR properties the classification criteria are not met. the classification criteria are not met.	

### 12.1 Toxicity

Based on available data, the classification criteria are not met. *Daphnia toxicity* 



WEBAC 1403 Comp. A Version 2.1

Revision date 19-Dec-2024

### Propane-1,2-diol, propoxylated

EC50 (Daphnia magna (Big water flea)): > 100 mg/L (48 h)

Fish toxicity (Desmodesmus subspicatus): > 100 mg/L (72 h)

LC50: (Danio rerio (zebrafish)): > 100 mg/L (48 h)

### 12.2 Persistence and degradability

No information available.

### 12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7 Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

#### Waste codes/waste designations according to EWC/AVV

080409\* - Waste adhesives and sealants containing organic solvents or other dangerous substances Hazardous waste according to Directive 2008/98/EC (waste framework directive).

#### Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

not applicable

### 14.2 UN proper shipping name

### Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

#### Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

#### Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

# 14.3 Transport hazard class(es)

not applicable

# 14.4 Packing group

not applicable

### 14.5 Environmental hazards

Land transport (ADR/RID) Sea transport (IMDG) not applicable not applicable

#### 14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

### 14.7 Maritime transport in bulk according to IMO instruments



WEBAC 1403 Comp. A Version 2.1

Revision date 19-Dec-2024

No transport as bulk according to IBC Code.

#### 14.8 Additional information

Land transport (ADR/RID) not applicable Sea transport (IMDG) not applicable Air transport (ICAO-TI / IATA-DGR) not applicable

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

#### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 0 g/l

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

### Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

#### **National regulations**

Observe in addition any national regulations!

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

H302

### List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Harmful if swallowed.

#### Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 oral Calculation method.

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard

DNEL: Derived No-Effect Level

EAKV: European Waste Catalogue Directive

EC: Effective Concentration

EC: European Community

EN: European Standard

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG Code: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

LC: Lethal Concentration

LD: Lethal Dose

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Cooperation and Development

PBT: persistent, bioaccumulative, toxic



Print date 19-Dec-2024

 WEBAC 1403 Comp. A
 Revision date 19-Dec-2024

 PNEC: Predicted No Effect Concentration
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

 UN: United Nations
 VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

## Indication of changes

\* Data changed compared with the previous version.