

WEBAC 2061 Comp. A Version 4.0

Revision date 20-Dec-2024

Print date 20-Dec-2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier

Trade name/designation

WEBAC 2061 Comp. A Silicate Gel

1.2 Relevant identified uses of the substance or mixture and uses advised against

Restricted to professional users.

Relevant identified uses

potassium silicate, aqueous solution with solids concentration <40%

1.3 Details of the supplier of the safety data sheet

supplier

WEBAC-Chemie GmbH Fahrenberg 22 Telephone: +49 40 670570 22885 Barsbüttel Telefax: +49 40 6703227 Germany

Department responsible for information

E-mail (competent person)

1.4 Emergency telephone number

Giftinformationszentrum-Nord Emergency telephone number: +49 551 192 40 available 24h/365days; Information will be provided in German and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

msds@webac.de

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

not applicable

 Signal word

 not applicable

 Hazard statements

 not applicable

 Precautionary statements

 not applicable

 Hazard components for labelling

 not applicable

 Bupplemental hazard information

 EUH210
 Safety data sheet available on request.

 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients.

3.2 Mixtures

2.3

Description

potassium silicate, aqueous solution with solids concentration <40% **Hazardous ingredients**



WEBAC 2061 Comp. A Version 4.0

Revision date 20-Dec-2024

Print date 20-Dec-2024

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
1312-76-1	silicid acid, potassium salt (MR > 3,2)	25,0 <= 50,0
215-199-1 -	01-2119456888-17-xxxx Skin Irrit. 2 H315 / Eye Irrit. 2 H319 / STOT SE 3 H335	
	ATE (oral): > 2,000 mg/kg	

Remark

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Ventilate affected area. Do not breathe vapours.

6.2 Environmental precautions



WEBAC 2061 Comp. A

Version 4.0

Revision date 20-Dec-2024

Print date 20-Dec-2024

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

For cleaning up

Clean using cleansing agents. Do not use solvents.

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid breathing spray. Personal protection equipment: see section 8 Follow the legal protection and safety regulations.

Advices on general occupational hygiene

When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Access only for authorised persons. Smoking is forbidden.

Always keep in containers that correspond to the material of the original container. Store carefully closed containers upright to prevent any leaks. Do not empty containers with pressure - no pressure vessel!

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Do not store together with: Food and feedingstuffs

Storage class LGK12 - non-combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values No data available Biological limit values No data available DNEL worker

	CAS No.	Substance name	DNEL type	DNEL value
*	1312-76-1	silicid acid, potassium salt (MR > 3,2)	DNEL long-term dermal (systemic)	1.49 mg/kg bw/day
*	1312-76-1	silicid acid, potassium salt (MR > 3,2)	DNEL long-term inhalative (systemic)	5.61 mg/m³

PNEC

	CAS No.	Substance name	PNEC type	PNEC Value
*	1312-76-1	silicid acid, potassium salt (MR > 3,2)	PNEC aquatic, intermittent release	7.5 mg/L
	1312-76-1	silicid acid, potassium salt (MR > 3,2)	PNEC aquatic, marine water	1 mg/L
*	1312-76-1	silicid acid, potassium salt (MR > 3,2)	PNEC aquatic, freshwater	7.5 mg/L



	ion 4.0	. A Revision da	te 20-Dec-2024	F	rint date 20-Dec-2	
	1312-76-1	silicid acid, potassium salt	t (MR > 3,2)	PNEC sewage treatment plant (STP)	348 mg/L	
2	Exposure cont	rols				
	Provide good ventilation. This can be achieved with local or room suction.					
	Personal protection equipment					
	Respiratory p					
	In case of inadequate ventilation wear respiratory protection.					
	Hand protection					
	Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min					
	For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together					
	with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles: EN ISO 374					
	Skin protection					
	Barrier creams	can help protecting exposed	skin areas. In no case	should they be used after contact.		
	Eye/face prote					
	Wear closely fit	Eye glasses with side protection: EN 166 Wear closely fitting protective glasses in case of splashes.				
	Body protection					
	-	protective clothing. Change co	ontaminated, saturated	i ciotning.		
		enter into surface water or dr	ains			
6E	CTION 9: Phy	sical and chemical prop	erties			
	Information on basic physical and chemical properties					
1	mormation of	i basic physical and chemic	cal properties			
1	Physical state	i basic physical and chemic	c al properties Liquid			
1						
1	Physical state		Liquid			
1	Physical state Colour		Liquid colourless			
1	Physical state Colour Odour		Liquid colourless characteristic	d		
1	Physical state Colour Odour pH (100%) Melting point/fre		Liquid colourless characteristic 11.5 - 12.5			
1	Physical state Colour Odour pH (100%) Melting point/fre	eezing point	Liquid colourless characteristic 11.5 - 12.5 not determine	d		
1	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling po	eezing point	Liquid colourless characteristic 11.5 - 12.5 not determine not determine	d		
1	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling po Flash point	eezing point int and boiling range	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable	d		
1	Physical state Colour Odour pH (100%) Melting point/fro Initial boiling po Flash point flammability	eezing point int and boiling range n limit at 20°C	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable	d		
1	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling po Flash point flammability Lower explosio	eezing point int and boiling range n limit at 20°C n limit at 20°C	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine	d		
1	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling po Flash point flammability Lower explosio Upper explosio	eezing point int and boiling range n limit at 20°C n limit at 20°C re at 20°C	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine not determine	d d d		
1	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling po Flash point flammability Lower explosio Upper explosio Vapour pressur	eezing point bint and boiling range n limit at 20°C n limit at 20°C re at 20°C r density	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine not determine 23 mbar	d d d		
•	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling point Flash point flammability Lower explosio Upper explosio Vapour pressur Relative vapour	eezing point int and boiling range n limit at 20°C n limit at 20°C re at 20°C r density C	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine 23 mbar not applicable	d d d		
	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling po Flash point flammability Lower explosio Upper explosio Vapour pressur Relative vapour Density at 20 %	eezing point int and boiling range n limit at 20°C n limit at 20°C re at 20°C r density C	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine 23 mbar not applicable 1.3 kg/l	d d d scible		
	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling po Flash point flammability Lower explosio Upper explosio Vapour pressur Relative vapour Density at 20 %	eezing point int and boiling range n limit at 20°C n limit at 20°C re at 20°C density C at 20°C ient: n-octanol/water	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine 23 mbar not applicable 1.3 kg/l completely mi	d d scible		
	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling por Flash point flammability Lower explosio Upper explosio Vapour pressur Relative vapour Density at 20 °C Water solubility Partition coeffic	eezing point int and boiling range In limit at 20°C In limit at 20°C The at 20°C	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine 23 mbar not applicable 1.3 kg/l completely mi see section 12	d d d scible 2 d		
	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling point Flash point flammability Lower explosio Upper explosio Vapour pressur Relative vapour Density at 20 % Water solubility Partition coeffic Ignition temper	eezing point int and boiling range n limit at 20°C n limit at 20°C re at 20°C density C at 20°C ient: n-octanol/water ature in °C temperature	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine 23 mbar not applicable 1.3 kg/l completely mi see section 12 not determine	d d d scible 2 d		
	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling point flash point flammability Lower explosio Upper explosio Upper explosio Vapour pressur Relative vapour Density at 20 °C Water solubility Partition coeffic Ignition temper	eezing point int and boiling range n limit at 20°C n limit at 20°C e at 20°C density C at 20°C ient: n-octanol/water ature in °C temperature °C:	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not determine 23 mbar not applicable 1.3 kg/l completely mi see section 12 not determine not determine	d d d scible 2 d d		
2	Physical state Colour Odour pH (100%) Melting point/fre Initial boiling po Flash point flammability Lower explosio Upper explosio Vapour pressur Relative vapour Density at 20 °C Water solubility Partition coeffic Ignition temper Decomposition Viscosity at 20	eezing point int and boiling range n limit at 20°C n limit at 20°C re at 20°C density C at 20°C ient: n-octanol/water ature in °C temperature °C: eristics	Liquid colourless characteristic 11.5 - 12.5 not determine not determine not applicable not applicable not determine 23 mbar not determine 1.3 kg/l completely mi see section 12 not determine not determine see section 12	d d d scible 2 d d		



	BAC 2061 Comp. A ion 4.0	Revision date 20-Dec-2024	Print date 20-Dec-2024
10.1	Reactivity		
	-	hen handled and stored according to provisions.	
0.2	Chemical stability		
	•	ded storage and handling conditions. ate.	
0.3	Possibility of hazardou	s reactions	
	Keep away from strong a	acids, strong bases and strong oxidizing agents to avoid exe	othermic reactions.
10.4	Conditions to avoid		
	Protect from moisture. A	void high temperatures or direct sunlight.	
10.5	Incompatible materials		
	No further relevant inform	nation available.	
10.6	Hazardous decomposi	tion products	
	Hazardous decomposition monoxide, smoke.	on byproducts may form with exposure to high temperatures	s e.g.: Carbon dioxide (CO2), Carbon
	Acute toxicity Based on available data	the classification criteria are not met	
*	silicid acid, potassium		
	LD50: oral (Rat): > 2,000		
	Skin corrosion/irritatio		
	Serious eye damage/ey	the classification criteria are not met.	
		the classification criteria are not met.	
	Respiratory or skin ser		
		the classification criteria are not met.	
	Overall assessment on		
		the classification criteria are not met.	
	STOT-single exposure		
		the classification criteria are not met.	
	STOT-repeated exposu		
		the classification criteria are not met.	
	Aspiration hazard		

11.2 Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met.

Daphnia toxicity silicid acid, potassium salt (MR > 3,2) EC50 > 100 mg/L (48 h)

Fish toxicity LC50: > 100 mg/L (96 h)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential



Print date 20-Dec-2024

WEBAC 2061 Comp. A Version 4.0

Revision date 20-Dec-2024

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

Waste codes/waste designations according to EWC/AVV

080409* - Waste adhesives and sealants containing organic solvents or other dangerous substances Hazardous waste according to Directive 2008/98/EC (waste framework directive).

Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

14.1 UN number or ID number

not applicable

14.2 UN proper shipping name

Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

not applicable

14.4 Packing group

not applicable

14.5 Environmental hazards

Land transport (ADR/RID) Sea transport (IMDG) not applicable not applicable

14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

14.8 Additional information

Land transport (ADR/RID)

not applicable

Sea transport (IMDG)

not applicable

Air transport (ICAO-TI / IATA-DGR)

not applicable



WEBAC 2061 Comp. A Version 4.0 Revision date 20-Dec-2024

Print date 20-Dec-2024

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 0 g/l

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

National regulations

Observe in addition any national regulations!

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

not applicable

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road **OEL: Occupational Exposure Limit Value BLV: Biological limit values** CAS: Chemical Abstracts Service CLP: Classification, Labelling and Packaging CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard DNEL: Derived No-Effect Level EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association - Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization LC: Lethal Concentration LD: Lethal Dose MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration RID: Regulations concerning the International Carriage of Dangerous Goods by Rail **UN: United Nations** VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative

Indication of changes

* Data changed compared with the previous version.



WEBAC 2061 Comp. A Version 4.0

Revision date 20-Dec-2024

Print date 20-Dec-2024