

WEBAC 240 Comp. A2 Version 2.0

Revision date 12-Dec-2024

Print date 12-Dec-2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name/designation

WEBAC 240 Comp. A2 Polyacrylic Gel

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Restricted to professional users.

### Relevant identified uses

crosslinking agent for acrylate gels

### 1.3 Details of the supplier of the safety data sheet

### supplier

WEBAC-Chemie GmbH Fahrenberg 22 Telephone: +49 40 670570 22885 Barsbüttel Telefax: +49 40 6703227 Germany

# Department responsible for information

E-mail (competent person)

# 1.4 Emergency telephone number

Giftinformationszentrum-Nord

Emergency telephone number: +49 551 192 40 available 24h/365days; Information will be provided in German and English

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 [CLP]

This substance is classified as dangerous according to regulation (EC) No 1272/2008 [CLP]. Eye Dam. 1; Serious eye damage/eye irritation; H318 Causes serious eye damage. Skin Irrit. 2; Skin corrosion/irritation; H315 Causes skin irritation. Skin Sens. 1; Skin sensitisation; H317 May cause an allergic skin reaction.

Immediately call a POISON CENTER.

msds@webac.de

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# Hazard pictograms



 Signal word

 Danger

 Hazard statements

 H318
 Causes serious eye damage.

 H315
 Causes skin irritation.

 H317
 May cause an allergic skin reaction.

 Precautionary statements
 P280

 P280
 Wear protective gloves and eye protection/face protection.

 P305 + P351 + P338
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Hazard components for labelling

N-[3-(dimethylamino)propyl]methacrylamide

### Supplemental hazard information

not applicable



WEBAC 240 Comp. A2 Version 2.0

Revision date 12-Dec-2024

## 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients.**

### 3.2 Mixtures

### Description

crosslinking agent for acrylate gels

### Hazardous ingredients

CAS No. EC No. Index No.	Substance name REACH No. Classification according to Regulation (EC) No 1272/2008 [CLP]	weight-%
5205-93-6 226-002-3	N-[3-(dimethylamino)propyl]methacrylamide 01-2119555288-29-xxxx	50,0 <= 100,0
-	Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Eye Dam. 1 H318 ATE (dermal): 2,355 mg/kg ATE (oral): 3,334 mg/kg	

#### Remark

Full text of H- and EUH-statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

### Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

### Self-protection of the first aider

First aider: Pay attention to self-protection!

4.2 Most important symptoms and effects, both acute and delayed

### Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

# Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water) **Unsuitable extinguishing media** 

Strong water jet

### 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.



WEBAC 240 Comp. A2 Version 2.0

Revision date 12-Dec-2024

Print date 12-Dec-2024

## 5.3 Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

### Ventilate affected area. Do not breathe vapours.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

### 6.3 Methods and material for containment and cleaning up

### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

#### 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid breathing spray.
 Personal protection equipment: see section 8
 Follow the legal protection and safety regulations.

### Advices on general occupational hygiene

When using do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Access only for authorised persons. Smoking is forbidden.

Always keep in containers that correspond to the material of the original container. Store carefully closed containers upright to prevent any leaks. Do not empty containers with pressure - no pressure vessel!

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Do not store together with: Food and feedingstuffs

LGK10 - Combustible liquids that cannot be assigned to any of the above storage classes

# Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C.

### 7.3 Specific end use(s)

Storage class

Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Biological limit values No data available DNEL worker		
•		
Biological limit values		
No data available		
Occupational exposure limit	t values	



WEBAC 240 Comp. A2

Version 2.0		Revision date 12-Dec-2024	Pr	Print date 12-Dec-2024	
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	DNEL long-term dermal (systemic)	7.5 mg/kg bw/day	
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	DNEL long-term inhalative (systemic)	26.45 mg/m <sup>3</sup>	
	PNEC				

	CAS No.	Substance name	PNEC type	PNEC Value
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC aquatic, freshwater	0.5 mg/L
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC aquatic, marine water	0.05 mg/L
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC sewage treatment plant (STP)	3.4 mg/L
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC sediment, marine water	0.245 mg/kg
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC sediment, freshwater	2.45 mg/kg
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC soil	0.196 mg/kg

# 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

# Personal protection equipment

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles: EN ISO 374

# Skin protection

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

# Eye/face protection

Eye glasses with side protection: EN 166

Wear closely fitting protective glasses in case of splashes.

# **Body protection**

Wear suitable protective clothing. Change contaminated, saturated clothing.

# Environmental exposure controls

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	yellow
Odour	characteristic
pH	> 11
Melting point/freezing point	-88 °C
Initial boiling point and boiling range	263 °C
Flash point	125 °C
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	0.004 mbar
Relative vapour density	not applicable
Density at 20 °C	0.9 kg/l
Water solubility at 20°C	practically insoluble



WEBAC 240 Comp. A2 Version 2.0

Revision date 12-Dec-2024

Print date 12-Dec-2024

-			 
	Partition coefficient: n-octanol/water	see section 12	
	Ignition temperature in °C	240 °C	
	Decomposition temperature	not determined	
	Viscosity at 40 °C:	fest	
	particle characteristics	not applicable	
.2	Other information		

# 9.2 Other information

not applicable

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions. Please note the expiry date.

# 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

### 10.4 Conditions to avoid

Protect from moisture. Avoid high temperatures or direct sunlight.

### 10.5 Incompatible materials

No further relevant information available.

# 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

- \* N-[3-(dimethylamino)propyl]methacrylamide LD50: dermal (Rabbit): 2,355 mg/kg
- \* LD50: oral (Rat): 3,334 mg/kg

# Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Overall assessment on CMR properties

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

# Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.



WEBAC 240 Comp. A2 Version 2.0 Re

Revision date 12-Dec-2024

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Based on available data, the classification criteria are not met. *Algae toxicity* 

 N-[3-(dimethylamino)propyl]methacrylamide ErC50: (Desmodesmus subspicatus): 94.2 mg/L (72 h)

### \* Daphnia toxicity

EC50 (Daphnia magna (Big water flea)): 272 mg/L (48 h)

# Fish toxicity

 LC50: (Oncorhynchus mykiss (Rainbow trout)): 290 mg/L (96 h) Method: OECD 203

### 12.2 Persistence and degradability

# N-[3-(dimethylamino)propyl]methacrylamide

Biodegradation = 74.7 % (28 d ) Method: OECD 301C

### 12.3 Bioaccumulative potential

# N-[3-(dimethylamino)propyl]methacrylamide

Partition coefficient: n-octanol/water = 0.5 Method: OECD 107 Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

### 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

# Waste codes/waste designations according to EWC/AVV

080409\* - Waste adhesives and sealants containing organic solvents or other dangerous substances Hazardous waste according to Directive 2008/98/EC (waste framework directive).

### Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

not applicable

# 14.2 UN proper shipping name

# Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

# Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

# Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

# 14.3 Transport hazard class(es)



/ersion 2.0	Revis	on date 12-Dec-2024	Print date 12-Dec-2024
not ap	plicable		
4.4 Packir	ng group		
not ap	plicable		
4.5 Enviro	onmental hazards		
	transport (ADR/RID) ansport (IMDG)	not applicable not applicable	
4.6 Specia	al precautions for user		
of an a	port always in closed, upright an accident or leakage. es on safe handling: see parts 6	d safe containers. Make sure that persons trans	sporting the product know what to do in case
4.7 Maritir	me transport in bulk according	g to IMO instruments	
No trar	nsport as bulk according to IBC	Code.	
4.8 Additi	ional information		
Land	transport (ADR/RID)		
not ap	plicable		
Sea tr	ransport (IMDG)		

not applicable

Air transport (ICAO-TI / IATA-DGR) not applicable

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU legislation

## **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 0 g/l

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

# Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

# National regulations

Observe in addition any national regulations!

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### List of relevant hazard statements and/or precautionary statements from sections 2 to 15

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

### Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1	On basis of test data.
Skin Irrit. 2	On basis of test data.
Skin Sens. 1	On basis of test data.

# Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging



WEBAC 240 Comp. A2 Version 2.0 Revision date 12-Dec-2024 Print date 12-Dec-2024 CMR: Carcinogenic, Mutagenic and Reprotoxic DIN: German Institute for Standardization / German industrial standard **DNEL: Derived No-Effect Level** EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association - Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization LC: Lethal Concentration LD: Lethal Dose MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration RID: Regulations concerning the International Carriage of Dangerous Goods by Rail **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent and very bioaccumulative

Indication of changes

\* Data changed compared with the previous version.