

WEBAC 270 Komp. A2 Version 2.0

Revision date 18-Dec-2024

Print date 18-Dec-2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name/designation

WEBAC 270 Komp. A2

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

# Restricted to professional users.

### Relevant identified uses

crosslinking agent for acrylate gels

## 1.3 Details of the supplier of the safety data sheet

#### supplier

WEBAC-Chemie GmbHFahrenberg 22Telephone: +49 40 67057022885 BarsbüttelTelefax: +49 40 6703227GermanyGermany

# Department responsible for information

E-mail (competent person)

msds@webac.de

## 1.4 Emergency telephone number Giftinformationszentrum-Nord

Emergency telephone number: +49 551 192 40 available 24h/365days; Information will be provided in German and English

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 [CLP]

This substance is classified as dangerous according to regulation (EC) No 1272/2008 [CLP]. Eye Dam. 1; Serious eye damage/eye irritation; H318 Causes serious eye damage. Skin Irrit. 2; Skin corrosion/irritation; H315 Causes skin irritation. Skin Sens. 1; Skin sensitisation; H317 May cause an allergic skin reaction.

# 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

# Hazard pictograms



GHS05 GHS07

Signal word	
Danger	
Hazard statements	
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
Precautionary statem	ents
P280	Wear protective gloves and eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER.
Hazard components f	or labelling
N-[3-(dimethylamino)pro	pyl]methacrylamide
Supplemental bazard	information

# Supplemental hazard information

### not applicable

## 2.3 Other hazards



WEBAC 270 Komp. A2 Version 2.0

Revision date 18-Dec-2024

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients.**

## 3.2 Mixtures

Description

crosslinking agent for acrylate gels

# Hazardous ingredients

CAS No EC No Index N	. REACH No.	weight-%
5205-93-6 226-002-3 -	N-[3-(dimethylamino)propyl]methacrylamide 01-2119555288-29-xxxx Skin Irrit. 2 H315 / Skin Sens. 1 H317 / Eye Dam. 1 H318 ATE (dermal): 2,355 mg/kg ATE (oral): 3,334 mg/kg	50,0 <= 100,0

#### Remark

Full text of H- and EUH-statements: see section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

## Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

# After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

# **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# Self-protection of the first aider

First aider: Pay attention to self-protection!

# 4.2 Most important symptoms and effects, both acute and delayed

# Symptoms

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO2), Powder, spray mist, (water)

# Unsuitable extinguishing media

Strong water jet

# 5.2 Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

# 5.3 Advice for firefighters



WEBAC 270 Komp. A2 Version 2.0

Revision date 18-Dec-2024

Print date 18-Dec-2024

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

## 6.3 Methods and material for containment and cleaning up

#### For containment

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### For cleaning up

Clean using cleansing agents. Do not use solvents.

# 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: refer to section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid breathing spray. Personal protection equipment: see section 8 Follow the legal protection and safety regulations.

#### Advices on general occupational hygiene

When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Access only for authorised persons. Smoking is forbidden.

Always keep in containers that correspond to the material of the original container. Store carefully closed containers upright to prevent any leaks. Do not empty containers with pressure - no pressure vessel!

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers. Do not store together with: Food and feedingstuffs

**Storage class** LGK10 - Combustible liquids that cannot be assigned to any of the above storage classes

### Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C.

# 7.3 Specific end use(s)

Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values

No data available

Biological limit values

No data available

# **DNEL** worker

	CAS No.	Substance name	DNEL type	DNEL value
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	DNEL long-term dermal (systemic)	7.5 mg/kg bw/day



WEBAC 270 Komp. A2

Vers	ion 2.0	Revision date 18-Dec-2024	Print date 18-Dec-2024
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	DNEL long-term inhalative (systemic) 26.45 mg/m <sup>3</sup>
	PNEC		

	CAS No.	Substance name	PNEC type	PNEC Value
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC aquatic, freshwater	0.5 mg/L
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC aquatic, marine water	0.05 mg/L
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC sewage treatment plant (STP)	3.4 mg/L
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC sediment, marine water	0.245 mg/kg
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC sediment, freshwater	2.45 mg/kg
*	5205-93-6	N-[3-(dimethylamino)propyl]methacrylamide	PNEC soil	0.196 mg/kg

## 8.2 Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

# Personal protection equipment

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# Hand protection

Suitable material: NBR (Nitrile rubber) Thickness of the glove material >= 0.4 mm Breakthrough time >= 480 min

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles: EN ISO 374

## **Skin protection**

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

### Eye/face protection

Eye glasses with side protection: EN 166 Wear closely fitting protective glasses in case of splashes.

# **Body protection**

Wear suitable protective clothing. Change contaminated, saturated clothing.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	yellow
Odour	characteristic
pH	> 11
Melting point/freezing point	-88 °C
Initial boiling point and boiling range	263 °C
Flash point	125 °C
flammability	not applicable
Lower explosion limit at 20°C	not determined
Upper explosion limit at 20°C	not determined
Vapour pressure at 20°C	0.004 mbar
Relative vapour density	not applicable
Density at 20 °C	0.9 kg/l
Water solubility at 20°C	practically insoluble
Partition coefficient: n-octanol/water	see section 12



WEBAC 270 Komp. A2 Version 2.0	Revision date 18-Dec-2024	Print date 18-Dec-2024
Ignition temperature in °C	240 °C	
Decomposition temperature	not determined	
Viscosity at 40 °C:	mPas	
particle characteristics	not applicable	

# 9.2 Other information

not applicable

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions. Please note the expiry date.

### 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

### 10.4 Conditions to avoid

Protect from moisture. Avoid high temperatures or direct sunlight.

10.5 Incompatible materials

No further relevant information available.

### 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures e.g.: Carbon dioxide (CO2), Carbon monoxide, smoke.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

### N-[3-(dimethylamino)propyl]methacrylamide

- LD50: dermal (Rabbit): 2,355 mg/kg
- \* LD50: oral (Rat): 3,334 mg/kg

Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### **Overall assessment on CMR properties**

Based on available data, the classification criteria are not met.

## **STOT-single exposure** Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## **11.2 Information on other hazards**

### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

# **SECTION 12: Ecological information**



Print date 18-Dec-2024

WEBAC 270 Komp. A2		
Version 2.0	Revision date 18-Dec-2024	
		_

## 12.1 Toxicity

Based on available data, the classification criteria are not met.

 Algae toxicity
\* N-[3-(dimethylamino)propyl]methacrylamide ErC50: (Desmodesmus subspicatus): 94.2 mg/L (72 h)

# \* Daphnia toxicity

EC50 (Daphnia magna (Big water flea)): 272 mg/L (48 h)

#### Fish toxicity

 \* LC50: (Oncorhynchus mykiss (Rainbow trout)): 290 mg/L (96 h) Method: OECD 203

### 12.2 Persistence and degradability

# N-[3-(dimethylamino)propyl]methacrylamide

\* Biodegradation = 74.7 % (28 d ) Method: OECD 301C

## 12.3 Bioaccumulative potential

## N-[3-(dimethylamino)propyl]methacrylamide

Partition coefficient: n-octanol/water = 0.5
Method: OECD 107

Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

# Product/Packaging disposal

Do not empty into drains; dispose of this material and its container in a safe way. Waste disposal according to directive 2008/98/ EC, covering waste and dangerous waste.

# Waste codes/waste designations according to EWC/AVV

080409\* - Waste adhesives and sealants containing organic solvents or other dangerous substances Hazardous waste according to Directive 2008/98/EC (waste framework directive).

### Other disposal recommendations

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

# **SECTION 14: Transport information**

# 14.1 UN number or ID number

not applicable

# 14.2 UN proper shipping name

# Land transport (ADR/RID)

No dangerous good in sense of these transport regulations.

# Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

# Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

# 14.3 Transport hazard class(es)

not applicable



	BAC 270 Komp. A2 ion 2.0 F	Revision date 18-Dec-2024	Print date 18-Dec-2024
14.4	Packing group not applicable		
14.5	Environmental hazards		
	Land transport (ADR/RID) Sea transport (IMDG)	not applicable not applicable	
14.6	Special precautions for user		
	Transport always in closed, uprig of an accident or leakage. Advices on safe handling: see pa	ht and safe containers. Make sure that persons tran rts 6 - 8	sporting the product know what to do in case
14.7	Maritime transport in bulk acco	rding to IMO instruments	
	No transport as bulk according to	IBC Code.	
14.8	Additional information		
	Land transport (ADR/RID)		
	not applicable		
	Sea transport (IMDG)		
	not applicable		
	Air transport (ICAO-TI / IATA-	DGR)	
	• •	,	

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU legislation

## **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

### Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

VOC value: 0 g/l

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

## Hazard categories / Named dangerous substances

This product is not classified according to Directive 2012/18/EU.

### National regulations

Observe in addition any national regulations!

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

### List of relevant hazard statements and/or precautionary statements from sections 2 to 15

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

## Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1	On basis of test data.
Skin Irrit. 2	On basis of test data.
Skin Sens. 1	On basis of test data.

### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

OEL: Occupational Exposure Limit Value

BLV: Biological limit values

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

CMR: Carcinogenic, Mutagenic and Reprotoxic

DIN: German Institute for Standardization / German industrial standard



WEBAC 270 Komp. A2 Version 2.0 Revision date 18-Dec-2024 Print date 18-Dec-2024 **DNEL: Derived No-Effect Level** EAKV: European Waste Catalogue Directive EC: Effective Concentration EC: European Community EN: European Standard IATA-DGR: International Air Transport Association - Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI: International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG Code: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization LC: Lethal Concentration LD: Lethal Dose MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships OECD: Organisation for Economic Cooperation and Development PBT: persistent, bioaccumulative, toxic PNEC: Predicted No Effect Concentration RID: Regulations concerning the International Carriage of Dangerous Goods by Rail **UN: United Nations** VOC: Volatile Organic Compounds vPvB: very persistent and very bioaccumulative Indication of changes

\* Data changed compared with the previous version.